	Zed-FULL TOYOTA OBD APPLICATION LIST							
MODEL	YEAR	KEY PROG	. REMOTE PROG.		TRANSPONDER	NOTES		
4RUNNER	1998-2002	Yes	On Board Procedure		4C	Must be done thru Eeprom 93c56(IC900)(Ecu)		
4RUNNER	2003-2009	Yes	On Board Procedure		4D67	Use fast bypass to skip 16 min wait		
						Transponder optional, should use antenna detector to		
4RUNNER	1998-2009	N/A	On Board Procedure		N/A	determine if car needs transponder		
4RUNNER	2010-2015	Yes	Yes		Toy G	Add key and immobiliser reset		
4RUNNER PROX	2010-2014	Yes	Yes (PROX)		OEM Remote	Add key and immobiliser reset		
AVALON	1998-2004	Yes	On Board Procedure		4C	Must be done thru Eeprom 93c56(IC900)(Ecu)		
						Transponder optional, should use antenna detector to		
AVALON	1998-2004	N/A	On Board Procedure		N/A	determine if car needs transponder		
AVALON	2005-2012	Yes	On Board Procedure		4D67	Use fast bypass to skip 16 min wait		
						Some immo only works, Some remote works, Some immo		
AVALON PROX	2005-2012	Yes	Some		OEM Remote	may Not work		
AVALON PROX	2013-2015	Yes	Yes (PROX)	Auto	OEM Remote			
CAMRY	1998-2001	Yes	On Board Procedure		4C	Must be done thru Eeprom 93c56(IC900)(Ecu)		
						Transponder optional, should use antenna detector to		
CAMRY	1998-2006	N/A	On Board Procedure		N/A	determine if car needs transponder		
CAMRY	2002-2006	Yes	On Board Procedure		4C Type 1			
						Use fast bypass to skip 16 min wait. 70% of the transponder		
CAMRY	2002-2006	Yes	On Board Procedure		4D67	is 4D67 but 4C Type 1 system is possible		
CAMRY	2007-2009	Yes	Yes		4D67	Use fast bypass to skip 16 min wait		
			No Remote or dealer installed aftermarket system with			Transponder optional, should use antenna detector to		
CAMRY		N/A	on board procedure)		N/A	determine if car needs transponder		
CAMRY		Yes	Yes		4D67	Split year system, do Not use bypass		
CAMRY		Yes	Yes		Toy G	Split year system, do Not use bypass		
Camry	2012-13	Yes	Yes	Auto	Toy G	All so far have been subsystem 2		
CAMRY	2014	Yes	Yes	Auto	Toy G	Split year system		
Camry	2014	Yes	Yes		Тоу Н	Add key and immobiliser reset		
CAMRY	2015	Yes	Yes		Toy H	Add key and immobiliser reset		
						Some immo only works, Some remote works, Some immo		
Camry Prox	2007-2011	Some	Some	Auto	OEM Remote	may Not work		
CAMRY PROX	2012-2014	Yes	Yes		OEM Remote			
		.				Transponder optional, should use antenna detector to		
COROLLA	1998-2004		On Board Procedure		N/A	determine if car needs transponder		
Corolla	2005-2006		On Board Procedure	Auto	4D67	Use fast bypass to skip 16 min wait		
COROLLA	2007-2009		Yes		4D67	Use fast bypass to skip 16 min wait		
COROLLA	2010-2011		Yes		4D67	Split year system, do Not use bypass		
COROLLA	2010-2011		Yes		Toy G	Split year system, do Not use bypass		
COROLLA	2012-2013	Yes	Yes		Toy G			

	Zed-FULL TOYOTA OBD APPLICATION LIST						
MODEL	YEAR	KEY PROG.	REMOTE PROG.		TRANSPONDER	NOTES	
Corolla	2014-2015	Yes	Yes		Toy H	Add key and immobiliser reset	
						Some immo only works, Some remote works, Some immo	
COROLLA PROX	2009-2011	Some	Some		OEM Remote	may Not work	
FJ CRUISER	2008-2009	Yes	Yes		4D67	Use fast bypass to skip 16 min wait	
						Split system, do Not use bypass, if bypass is used on	
FJ CRUISER	2010	Yes	Yes		4D67	eeprom system then it can No longer work	
						2010 FJ CRUISER Toy G SYSTEM MUST BE DONE THRU	
FJ CRUISER	2010	Yes	Yes		Toy G	93C66 (BLACK BOX BY GLOVE BOX)	
FJ CRUISER	2011-2013	Yes	Yes		Toy G		
HIGHLANDER W/4							
CYLINDER ENGINE	2001-2003	Yes	Yes		4C Type 1		
HIGHLANDER W/6							
CYLINDER ENGINE	2001-2003	Yes	Yes		4C	Must be done thru Eeprom 93c56(IC900)(Ecu)	
HIGHLANDER W/4						Transponder optional, should use antenna detector to	
CYLINDER ENGINE	2004-2007	N/A	On Board Procedure		N/A	determine if car needs transponder	
HIGHLANDER W/6							
		Yes	On Board Procedure		4D67	Use fast bypass to skip 16 min wait	
HIGHLANDER	2008-2009	Yes	Yes		4D67	Use fast bypass to skip 16 min wait	
			.,			Split system, do Not use bypass, if bypass is used on	
HIGHLANDER		Yes	Yes		4D67	eeprom system then it can No longer work	
HIGHLANDER		Yes	Yes		Toy G	Split year system, do Not use bypass	
Highlander	2014	Yes	Yes	Auto	Toy G	Split year system	
HIGHLANDER	2014	Yes	Yes		Тоу Н	Add key and immobiliser reset	
HIGHLANDER	2015	Yes	Yes		Toy H	Add key and immobiliser reset	
HIGHLANDER LE						Some immo only works, Some remote works, Some immo	
PROX	2007	Some	Some		OEM Remote	may Not work	
HIGHLANDER LE	2000 2044	•			05345	Some immo only works, Some remote works, Some immo	
PROX	2008-2014	Some	Some		OEM Remote	may Not work	
LUCUI ANDER PROV	2000 2000	C	C		OFM Parasta	Some immo only works, Some remote works, Some immo	
HIGHLANDER PROX	2008-2009	Some	Some		OEM Remote	may Not work	
HIGHLANDER PROX	2015	No info	No info		OEM Remote	No info	
LAND CRUISER		Yes	On Board Procedure		4C	Must be done thru Eeprom 93c56(IC900)(Ecu)	
LAND CRUISER		Yes	On Board Procedure		4C Type 1	iviust be dolle tillu Lepiolii 33C30(IC300)(ECU)	
			On Board Procedure		4D67	Hea fact hypacs to ckin 16 min wait	
LAND CRUISER	2003-2007	162	On Board Procedure		4007	Use fast bypass to skip 16 min wait	
LAND CRUISER	2008-2014	Some	Some		OEM Remote	Some immo only works, Some remote works, Some immo may Not work	
MATRIX		Yes	On Board Procedure		4D67	Use fast bypass to skip 16 min wait	
INITATION	2003-2000	163	on board Frocedure		4007	Transponder optional, should use antenna detector to	
MATRIX	2005-2007	N/A	On Board Procedure		N/A	determine if car needs transponder	
MATRIX	2003-2007	Yes	On Board Procedure		4D67	Split year system but safe to use bypass	
INIVIVIV	2007	162	on Board Frocedure		4007	opiit year system but sare to use bypass	

Zed-FULL TOYOTA OBD APPLICATION LIST								
MODEL	YEAR	KEY PROG	REMOTE PROG.		TRANSPONDER	NOTES		
MATRIX	2008-2010	Yes	Yes		4D67	Use fast bypass to skip 16 min wait		
MATRIX	2008-2013	N/A	On Board Procedure		N/A	Transponder optional, should use antenna detector to determine if car needs transponder		
MATRIX	2011-2013	Yes	On Board Procedure		Toy G	·		
MR2	2000-2005	Yes	On Board Procedure		4C	Must be done thru Eeprom 93c56(IC900)(Ecu)		
PRIUS C	2012-2014	Yes	Yes		Toy G			
PRIUS C	2015	N/A	Yes		N/A	Transponder optional, should use antenna detector to determine if car needs transponder		
PRIUS C	2015	No info	Yes		No info	No info		
i mos c	2013	I TO IIII O	103			Must be done thru Eeprom, black box above steerng		
PRIUS	2000-2003	Yes	On Board Procedure		4C	column		
PRIUS	2004-2009	Yes	No		OEM Remote (or substitute 4D69/70)	Use Non proximity fast bypass for immo reset		
PRIUS PROX	2004-2009	Yes	No		OEM Remote (or substitute 4D69/70)	Use Non proximity fast bypass for immo reset		
Prius PROX	2009-2014	Yes	Yes	Auto	OEM Remote	, , , , , , , , , , , , , , , , , , ,		
RAV4	2001-2003	Yes	On Board Procedure		4C	Must be done thru Eeprom 93c56(IC900)(Ecu)		
						Transponder optional, should use antenna detector to		
RAV4	2001-2003	N/A	On Board Procedure		N/A	determine if car needs transponder		
RAV4	2004-2005	Yes	On Board Procedure		4D67	Use fast bypass to skip 16 min wait		
RAV4	2004-2006	N/A	On Board Procedure		N/A	Transponder optional, should use antenna detector to determine if car needs transponder		
RAV4	2006	Yes	On Board Procedure/Yes		4D67	Split year system but safe to use bypass		
Rav4	2007-2009	Yes	Yes	Auto	4D67	Use fast bypass to skip 16 min wait		
RAV4	2010-2014	Yes	Yes		4D67	Split year system, do Not use bypass		
RAV4	2010-2014	Yes	Yes		Toy G	Split year system, do Not use bypass		
RAV4	2013-2015	Yes	Yes		Тоу Н	Add key and immobiliser reset		
RAV 4 PROX	2009-2010	Some	Some		OEM Remote	Some immo only works, Some remote works, Some immo may Not work		
Rav 4 Prox	2011-2015	Yes	Yes	Auto		All so far have been subsystem2		
SEQUOIA	2001-2002	Yes	On Board Procedure		4C			
SEQUOIA	2003-2007	Yes	On Board Procedure		4D67	Must be done thru Eeprom. This is a dip8 serial Eeprom, so this uses large clip Not Normal soic8 clip, immobiliser box is the the box right of the cluster		
SEQUOIA	2008-2010	Yes	Yes		4D67	Use fast bypass to skip 16 min wait		
SEQUOIA	2011-2013	Yes	Yes		Toy G	OSC 10St bypass to skip 10 mm wait		
SIENNA		Yes	On Board Procedure		4C	Must be done thru Eeprom 93c56(IC900)(Ecu)		
SIENNA		Yes	On Board Procedure		4D67	Use fast bypass to skip 16 min wait		
SIENNA	2008-2010		Yes		4D67	Use fast bypass to skip 16 min wait		
Sienna	2011-2014		Yes		Toy G	555 1556 Sypuss to Skip 10 Hill Walt		
Sienna	2015	Yes	Yes		Toy H	Add key and immobiliser reset		
sienna Prox	2013-2014		Yes			. to they did illimostified reset		
SOLARA	1998-2004		On Board Procedure		4C	Must be done thru Eeprom 93c56(IC900)(Ecu)		
30 L (() (1550 2004		On Doura Procedure		10	intust se done tilla reprofit socsofiesos/frea)		

Zed-FULL TOYOTA OBD APPLICATION LIST						
MODEL	YEAR	KEY PROG.	REMOTE PROG.		TRANSPONDER	NOTES
SOLARA	1998-2004	N/A	On Board Procedure		N/A	Transponder optional, should use antenna detector to determine if car needs transponder
SOLARA W/4 CYL ENGINE	2002-2003	Yes	On Board Procedure		4C Type 1	
SOLARA	2005-2012	Yes	On Board Procedure		4D67	Use fast bypass to skip 16 min wait
TACOMA	2005-2007	Yes	On Board Procedure		4D67	Use fast bypass to skip 16 min wait
TACOMA	2008-2010	Yes	On Board Procedure		4D67	Use fast bypass to skip 16 min wait
TACOMA	2011-2015	Yes	On Board Procedure		Toy G	
TUNDRA	2007-2009	Yes	On Board Procedure		4D67	Use fast bypass to skip 16 min wait
TUNDRA	2010-2015	Yes	Yes	Auto	Toy G	
VENZA	2010	Yes	Yes		4D67	Split system, do Not use bypass
VENZA	2010	Yes	Yes	Auto	Toy G	Split system, do Not use bypass
VENZA	2011-2014	Yes	Yes		Toy G	
VENZA PROX	2009-2014	Yes	Yes	Auto	OEM KEY	
YARIS	2007	Yes	On Board Procedure		4D67	Use fast bypass to skip 16 min wait
YARIS	2008-2011	Yes	On Board Procedure	Auto	4D67	Use fast bypass to skip 16 min wait
YARIS	2012-2014	Yes	Yes		Toy G	
YARIS	2015	Yes	Yes		Тоу Н	Add key and immobiliser reset
YARIS	2007-2015	N/A	N/A		N/A	Transponder optional, should use antenna detector to determine if car needs transponder